

RFP ADDENDUM for DT-WL-CABLING-ELD-2018 #1

Date of Addendum: 1 March, 2018

NOTICE TO ALL POTENTIAL RESPONDENTS

The Request for Proposals for Network Cabling for Wireless Access Points and Exterior Cameras is modified as set forth in this Addendum. The original RFP for Network Cabling for Wireless Access Points and Exterior Cameras documents and any previously issued addenda remain in full force and effect, except as modified by this Addendum, which is hereby made part of the RFP. Respondent shall take this Addendum into consideration when preparing and submitting its Proposal.

PROPOSAL SUBMITTAL DEADLINE

The Proposal submittal deadline remains the same and is not changed by this Addendum.

1.0 – RFP

Item	Section	Description of Change
1.1	Statement of Work	Add the following language in the first sentence of the statement in the paragraph following the words exterior cameras: “and interior cameras”. The sentence will read as followed: The purpose of this request for proposal (RFP) is to invite prospective vendors to submit a proposed solution for Network Cabling for Wireless

		Access Points, and exterior cameras, and Interior cameras to Butler Community College.
2.2	The Organization	Add the following language to the last line in the 3 rd paragraph following the words exterior cameras: “and interior cameras”. The sentence shall read as followed: In presenting this RFP to install network wiring needed for the new border to border wireless network infrastructure and exterior cameras, and interior cameras for physical security, we have included the results of the site survey.
4.1	Functional Requirements	<p>Add the following header and bullet points to the end Functional Requirements: “Interior wiring for Interior cameras</p> <ul style="list-style-type: none"> • All runs should be clearly marked at terminus with labeling on both ends for individual cable with preapproval of labeling by Butler Community College. • All cabling must be Belden data twist Cat6 Plenum rated(2413) in Yellow • Terminations in the IDF/MDF must be field loadable patch panels - Panduit CPP24WBLY • All Network Jacks shall be Panduit CJ688TGYL T568B terminated on both ends of the cable • Terminations on the device end shall be loaded in a Panduit CBX1WH-A • Terminations on device end shall have a 10ft cable plugged into the network jack and left coiled in the ceiling – Panduit UTPS10YLY • Any data runs that require wire molding will need to be metal wire mold. • All work performed by installation personnel must be in accordance with industry accepted practices, such as those set forth by the EIA/TIA and BICSI. The installation must meet all applicable Federal and State laws, all fire and building codes, and all local jurisdiction requirements. • All penetrations of fire-rated walls will also require sufficient sealing in order to meet existing fire regulations • Cables should be neatly dressed and supported in the racks.

		<ul style="list-style-type: none"> • Each data outlet and cable shall be tested and certified for permanent link compliance with TIA Category-6. • All tested cables shall pass all performed tests. End-to-end attenuation loss and NEXT shall meet or exceed Category-6, TIA 586-C requirements • The contractor will provide all documents easily understood for Inside Wiring cable records showing station ID's, cable routes and proof of certification. Documentation is to be submitted for approval prior to commencement of work.
--	--	--

2.0 – QUESTIONS AND ANSWERS

Note to Preparer of Addendum: Questions and answers should be provided only when they are necessary to clarify what is already in the Contract Documents. If a question results in a change to the RFP, these changes should be noted above and email to bids@butlercc.edu with the subject line of DT-WL-WIRING-ELD-2018

The following questions and answers are provided as a matter of information to clarify issues raised about the RFP. To the extent that changes to the RFP are required based on the questions received, the RFP has been modified as noted above in the RFP section of this Addendum.

Item	Questions and Answers
2.1	<p><u>Question:</u></p> <p><u>Answer:</u></p>

3.0 – INFORMATION

Item 3.1 is provided as an example of information that may be included in this section.

The following item(s) are provided as a matter of information only to all respondents and do not modify or become part of the Contract Documents.

END OF ADDENDUM